



Designed for outdoor living spaces, Oracle series fireplaces feature a full brick to face design with no visible smoke shelf for a classic masonry fireplace appearance. Interior liner options include a choice of Mosaic Masonry kiln-fired firebrick liners or Estate Panel poured refractory liners in a variety of designer colors and stacked or herringbone patterns. When only an authentic masonry look will do, the Oracle delivers.

STANDARD FEATURES

- Available in 36", 42" and 50" models
- lacktriangle Massive smoke dome with no visible smoke shelf for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry™ brick or Estate Refractory Panels available in a variety of patterns and colors with integrated ash lip (one required)
- Durable 304-stainless steel on front face, and all surfaces exposed to weather.
- Heavy duty stainless steel log grate
- Includes stainless steel mesh fire screens
- Easy access damper control
- Optional glass doors available in black trim finish for improved safety
- ◆ Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- 20 Year Limited Warranty

MOSAIC MASONRY FIREBRICK LINERS

Mosaic Masonry liners are constructed with true kilnfired firebricks and mortared joints for a classic masonry fireplace appearance. Offered in a variety of solid colors in full stacked, full herringbone, split stacked and split herringbone patterns.





Midnight Full Herringbone



Midnight Split Herringbone



Slate Grey Full Herringbone



Slate Grey Split Herringbone



Midnight Full Stacked



Midnight Split Stacked



Slate Grey Full Stacked



Slate Grey Split Stacked



Warm Red Ful Herringbone



Warm Red Split Herringbone



Ivory Full Herringbone



Ivory Split Herringbone



Warm Red Full Stacked



Warm Red Split Stacked



Ivory Full Stacked



 $Ivory\ Split\ Stacked$

ESTATE PANEL REFRACTORY LINERS


Estate Panel liners are solid poured refractory panels that are 27% thicker than standard refractory panels, allowing for accentuated grout joints. Available in several designer color options with grey grout joints in full stacked or split herringbone patterns.



Black Herringbone



Grey Herringbone



Black Stacked



Grey Stacked



Cappuccino Herringbone




Creamer Herringbone



Cappuccino Stacked




Creamer Stacked




	ORACLE 36	ORACLE 42	ORACLE 50
G	36"	42"	50"
Н	45-1/8"	51-1/8"	59"
I	29"	30-1/2"	38-1/2"
J	26-5/8"	29"	28-1/2"
K	30"	30"	30"
L	49"	49"	49"
M	67"	67"	67"
N	10-1/2"	10-1/2"	10-1/2"
0	9-1/2"	9-1/2"	9-1/2"
P	3-1/2"	3-1/2"	3-1/2"
Q	7-1/4"	8-1/2"	8-1/2"
R	11"	13"	13"
s	15-1/4"	17"	17"

DIAGRAMS, ILLUSTRATIONS AND PHOTOGRAPHS ARE NOT TO SCALE—CONSULT INSTALLATION INSTRUCTIONS. PRODUCT DESIGNS, MATERIALS, DIMENSIONS, SPECIFICATIONS, COLORS AND PRICES ARE SUBJECT TO CHANGE OR DISCONTINUANCE WITHOUT NOTICE.



		ORACLE 36	ORACLE 42	ORACLE 50
	A	67-1/8"	67-1/8"	67-1/8"
	В	45-1/4"	51-1/4"	59-1/4 "
	C	28-1/4"	30-1/8"	30-1/8"

CORNER FRAMING SPECIFICATIONS



	ORACLE 36	ORACLE 42	ORACLE 50	
D	45-1/4"	51-1/4"	59-1/4"	
E	86-1/2"	92"	100"	
F	61"	65"	71"	

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.





