

OUTDOOR: VENT-FREE GAS FIREBOXES

VRE6000 SERIES

Superior
FIREPLACES®
Our name is our promise.



“Impressive” is the only way to describe these massive fireboxes. Designed for large outdoor applications, the VRE6000 Series Vent-Free Gas Firebox features a 30” tall opening, long lasting stainless steel construction and beautiful Mosaic Masonry kiln-fired firebrick liners in a variety of designer colors and stacked or herringbone patterns. Combined with outdoor vent-free gas logs, the VRE6000 delivers an authentic masonry look and feel.



FEATURED VRE6042 with Ivory Herringbone brick and VTDGT Series Giant Timbers gas log set

EXCLUSIVE FEATURES

- 🔥 Available in 36", 42" and 50" models
- 🔥 30" tall, full brick to-face-design opening on all models.
- 🔥 99.9% heating efficiency when paired with a vent-free gas log set*
- 🔥 Fully insulated firebox for increased performance in colder climates
- 🔥 Mosaic Masonry Firebrick available in a variety of patterns and colors with integrated ash lip (one required)
- 🔥 Durable 304-stainless steel on front face, and all surfaces exposed to weather.
- 🔥 Includes stainless steel mesh fire screens
- 🔥 Easy-access gas line knockouts on both sides for quick and simple installation.
- 🔥 20 Year Limited Warranty

*Compatible with any listed ANSI Z21.11.2 vent-free log set. Choose a Superior vent-free log set for the best results.

MOSAIC MASONRY FIREBRICK LINERS

Mosaic Masonry liners are constructed with true kiln-fired firebricks and mortared joints for a classic masonry fireplace appearance. Offered in a variety of solid colors in full stacked, full herringbone, split stacked and split herringbone patterns.



INTERIOR



Midnight Full Herringbone



Midnight Full Stacked



Warm Red Full Herringbone



Warm Red Full Stacked



Midnight Split Herringbone



Midnight Split Stacked



Warm Red Split Herringbone



Warm Red Split Stacked



Slate Grey Full Herringbone



Slate Grey Full Stacked



Ivory Full Herringbone



Ivory Full Stacked



Slate Grey Split Herringbone



Slate Grey Split Stacked



Ivory Split Herringbone




Ivory Split Stacked




Visit Superiorfireplaces.us.com to see the complete selection of vent-free gas logs that are available to complement this firebox.

FLAT WALL FRAMING SPECIFICATIONS




	VRE6036	VRE6042	VRE6050
A	54-5/8"	54-5/8"	54-5/8"
B	45-3/8"	51-3/8"	59-1/4"
C	28-1/4"	30-1/8"	30-1/8"

CORNER FRAMING SPECIFICATIONS



	VRE6036	VRE6042	VRE6050
D	61"	65"	71"
E	45-3/8"	51-3/8"	59-3/8"
F	86-1/2"	92"	100"

APPLIANCE SPECIFICATIONS



	VRE6036	VRE6042	VRE6050
G	29"	30-5/16"	38-5/16"
H	45-1/8"	51-1/8"	59"
I	30"	30"	30"
J	36"	42"	50"
K	49"	49"	49"
L	28"	30"	28-1/2"
M	54-1/2"	54-1/2"	54-1/2"
N	3-5/16"	3-5/16"	3-5/16"
O	9-7/16"	9-7/16"	9-7/16"
P	7-3/8"	8-3/4"	8-3/4"
Q	11-1/8"	13"	13"

On the Cover: VRE6042 shown with Warm Red Herringbone brick

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.



© 2021 Innovative Hearth Products

785481M 02/21

Visit us online
SuperiorFireplaces.us.com

