

VENT-FREE GAS LOGS





MOSSY OAK
CONCRETE LOGS



GIANT TIMBERS
CONCRETE LOGS

Control Options



ProFlame Remote
(Included with
Variable Control Models)



EcoFlow Remote
(Included with Electronic
Control Models)

THE MEGA-FLAME Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. The MEGA-FLAME Series features two burners of bright yellow flames, plus a lower burner that creates a glowing ember bed. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.

EXCLUSIVE FEATURES

- 🔥 Available in 24", 30", and 36" sizes
- 🔥 Tall dancing yellow flames and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls
- 🔥 Variable control model includes ProFlame remote (Manual & T-Stat modes, On-Off & 5 flame heights)
- 🔥 Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



GRANITE RIDGE
CONCRETE LOGS



EMBERWOOD SPLIT
CONCRETE LOGS



HIGHRIDGE BIRCH
CONCRETE LOGS



SILVERSTONE TIMBER
HIGH DEFINITION LOGS

THE NATURE-FLAME SERIES features a unique pan burner with random flames and a flickering ember bed to achieve the look of a real wood fire. The result is a striking appearance with a distinctly unique flame pattern. Hand crafted logs with high-definition bark and split wood details create the essence of authentic firewood. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.

EXCLUSIVE FEATURES

- 🔥 Available in 18", 24", and 30" sizes
- 🔥 Tall natural yellow flames and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls
- 🔥 Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**WILD TIMBER
CONCRETE LOGS**



**RUGGED STACK
CONCRETE LOGS**

Control Options



ProFlame Remote
(Included with
Variable Control Models)



EcoFlow Remote
(Included with Electronic
Control Models)

THE TRIPLE-FLAME Series features a unique triple burner and glowing ember bed at its base to achieve the look of a real wood fire. Flickering embers are achieved through the implementation of two unique technologies and the burner offers the distinctive feature of an additional row of flames behind the logs. The result is a striking appearance with a very deep flame pattern. All models are heater rated with 99% heat efficiency and include a wood-burning grate.

EXCLUSIVE FEATURES

- 🔥 Available in 18", 24", and 30" sizes
- 🔥 Tall dancing yellow flames and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls
- 🔥 Variable control model includes ProFlame remote (Manual & T-Stat modes, On-Off & 5 flame heights)
- 🔥 Electronic control model includes EcoFlow Touchscreen remote (Manual & T-Stat modes, On-Off & 3 flame heights)
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



CRESCENT HILL HD
HIGH DEFINITION LOGS



CRESCENT HILL
CONCRETE LOGS



GOLDEN OAK
CERAMIC FIBER LOGS

THE DOUBLE-FLAME Series' unique, clean-burning design provides 99% heating efficiency, which allows you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Heating vent-free gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

EXCLUSIVE FEATURES

- 🔥 Available in 18"and 24"sizes
- 🔥 Two rows of dancing yellow flames
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**MOSSY OAK
CONCRETE LOGS**



**GIANT TIMBERS
CONCRETE LOGS**

Control Options



RCAF3 Remote
(Included with
Electronic Control Model)

Optional



MFEB Volcanic Stone Ember Bed
(Optional)

- Enhanced flame & glow
- For vented applications only

THE MEGA-FLAME OUTDOOR Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Outdoor models feature two burners of bright yellow flames, a stainless steel chassis and grate, and an optional lava rock flame bed at its base (for vented applications only).

EXCLUSIVE FEATURES

- 🔥 Available in 24", 30", and 36" sizes
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Heavy-duty stainless steel chassis and grate for enhanced durability
- 🔥 Optional volcanic stone flame bed (MFEB) available (For vented applications only)
- 🔥 Millivolt control model is remote ready for optional remote and wall controls
- 🔥 Electronic control model includes RCAF3 remote control (On-Off control, Hi-Low flame heights)
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



Shady Hollow Vent-Free Gas Logs
shown in the VRE4200 Outdoor
Vent-Free Firebox.

SPECIFICATIONS

SERIES	LOG SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			FRONT WIDTH	REAR WIDTH	HEIGHT	DEPTH	MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
MEGA-FLAME	24"	24"	32-1/4"	22-3/4"	28"	15-1/2"	40K-29K	40K-29K	38K-28K	39K-31K	38K-28K	39K-31K
	30"	24"	39"	26-3/4"	28"	15-1/2"	40K-29K	40K-29K	38K-28K	39K-31K	38K-28K	39K-31K
	36"	30"	47"	33"	28"	15-1/2"	40K-29K	40K-29K	38K-28K	39K-31K	38K-28K	39K-31K
NATURE-FLAME	18"	18"	26"	17"	17"	15"	30K-21K	29K-21K	—	—	30K-22K	30K-22K
	24"	24"	29"	22"	19"	15"	39K-28K	36K-25K	—	—	39K-28K	36K-25K
	30"	24"	33"	25"	19"	15"	39K-28K	36K-25K	—	—	39K-28K	36K-25K
TRIPLE-FLAME	18"	18"	28"	20"	19"	14"	30K-21K	30K-24K	30K-21K	30K-24K	28K-24K	28K-24K
	24"	24"	30"	22"	19"	14"	39K-28K	39K-28K	39K-28K	39K-28K	39K-28K	39K-28K
	30"	24"	40"	30"	19"	14"	39K-28K	39K-28K	39K-28K	39K-28K	39K-28K	39K-28K
DOUBLE-FLAME*	18"	18"	24"	20-1/2"	17"	13-1/2"	36K-25K	36K-25K	—	—	—	—
	24"	18"	28"	20-1/2"	17"	13-1/2"	36K-25K	36K-25K	—	—	—	—
MEGA-FLAME OUTDOOR	24"	24"	32-1/4"	22-3/4"	28"	15-1/2"	40K-29K	40K-29K	—	—	40K-29K	40K-29K
	30"	24"	39"	26-3/4"	28"	15-1/2"	40K-29K	40K-29K	—	—	40K-29K	40K-29K
	36"	30"	47"	33"	28"	15-1/2"	40K-29K	40K-29K	—	—	40K-29K	40K-29K

* Manual Control Model available; NG 36K-19K, LP 36K-19K

CONTROL OPTIONS



ProFlame T'Stat
On/Off Remote²



EcoFlow Touch Screen Multi-
Function Remote^{1,3}



TRC T'stat
On/Off Remote¹



MRC
On/Off Remote¹



RCAF3 On/Off
Hi/Low Remote⁴

Remote Control Compatibility: 1 - Optional for Millivolt Control Models, 2 - Included with Variable Control Models, 3 - Included with Indoor Electronic Control Models, 4 - Included with Outdoor Electronic Control Models

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions.

Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

*FRONT COVER 30" Silverstone Timber Log Set
and Nature Flame Series burner shown in a
VRT6042 Vent-Free Gas Firebox*

