CITADEL WOOD BURNING FIREPLACES







The Citadel is a premium wood burning fireplace that features an astounding 42" tall opening paired with a low profile, flush to hearth design. Interior liner options include a choice of Mosaic Masonry kiln-fired firebrick liners in a split herringbone pattern and a variety of designer colors. The Citadel is the perfect choice for a large classic masonry fireplace look and feel.

STANDARD FEATURES

| 🔶 Availal | ble in a 48" wide and 42" tall opening to provide an exceptional view of the fire | | |
|------------|--|--|--|
| 🔸 Flush I | hearth floor design (hearth spacer required for combustible floor installations) | | |
| 🔶 Massiv | ve smoke dome with no visible smoke shelf for reliable operation | | |
| 🔶 Fully ii | Fully insulated firebox for increased performance in colder climates | | |
| 🔶 Mosai | Mosaic Masonry Firebrick available in a split herringbone pattern and variety of colors (one required) | | |
| 🔶 Heavy | duty steel grate with rugged forged andirons | | |
| 🔶 Easy a | iccess damper control | | |
| 🔸 Includ | es mesh fire screens | | |
| 🔶 Optio | Optional glass door available in black trim finish for improved safety | | |
| 🔹 Option | Optional gas log sets deliver the charm of a wood fire with the convenience of gas | | |
| 🔸 Dual (| Dual (left hand/right hand) outside air kits available for maximum performance | | |
| 🔶 Durab | Durable textured powder coat finish | | |
| 🔶 Uses I | Uses IHP 12DM or 12HT (required for Canada) chimney system | | |
| 🔶 20 Yea | ar Limited Warranty | | |

MOSAIC MASONRY FIREBRICK LINERS

Mosaic Masonry liners are constructed with true kiln fired firebricks and mortared joints for a classic masonry fireplace appearance. Offered in a variety of solid colors in a split herringbone pattern.





Midnight



Slate Grey




Warm Red



Ivory

ADDITIONAL OPTIONS

GLASS DOORS



Bi-fold glass doors in black trim finish

GAS LOG SETS



Smoky Weathered Oak




Ashton White Birch



Ozark Charred Oak

FLAT WALL FRAMING SPECIFICATIONS

APPLIANCE SPECIFICATIONS



CITADEL 48


| F | 48" |
|---|--|
| G | 60-5/8" |
| н | 42-3/8" |
| I | 30" |
| J | 42" |
| K | 65-3/4" |
| L | 71-1/2" * Add 4-3/4" for hearth spacer on combustible floors |
| | |

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.


Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

DIAGRAMS, ILLUSTRATIONS AND PHOTOGRAPHS ARE NOT TO SCALE-CONSULT INSTALLATION INSTRUCTIONS. PRODUCT DESIGNS, MATERIALS, DIMENSIONS, SPECIFICATIONS, COLORS AND PRICES ARE SUBJECT TO CHANGE OR DISCONTINUANCE WITHOUT NOTICE.



| | CITADEL 48 | |
|---|-----------------------------|-------------------------|
| А | 76-3/8" with hearth spacers | 71-1/2" with no spacers |
| в | 60-7/8" | |
| С | 31-5/8" | |

CORNER FRAMING SPECIFICATIONS





© 20221 Innovative Hearth Products 785739M 05/22

Visit us online Astria.us.com



