P/N 900796-00
Rev. NC, 09/2016

CHARRED OAK AND DRIFTWOOD LOG SETS

INSTALLATION INSTRUCTIONS FOR INSTALLING DRIFTWOOD AND CHARRED OAK* LOG SETS FOR USE WITH SCORPIO AND DRT3500 SERIES DIRECT-VENT GAS FIREPLACES

KIT CONTENTS

1 ea. Log Set
1 ea. Instruction Sheet

TOOLS NEEDED

None

Log Sets - Traditional Models *		
Cat. No.	**Model**	**Description**
F2876	CHAROAK35	35” Charred Oak Log Set
F2877	CHAROAK40-45	40” and 45” Charred Oak Log Set
F2878	DFTWOOD35	35” Driftwood Log Set
F2879	DFTWOOD40-45	40” and 45” Driftwood Log Set

Table 1

**** DRT3500 Series fireplaces are approved for use with the Charred Oak Log Sets only.***

GENERAL INFORMATION

This log placement guide has been prepared to present detailed log placement illustrations and provide instruction to assist in the placement of logs at the initial (new appliance) setup and after the annual cleaning and inspection cycles. The information provided here is to be used in conjunction with the Installation and Operation Instructions provided with the appliance.

If you encounter any problems, need clarification of these instructions or are not qualified to properly install this kit, contact your local distributor or dealer.

Read this instruction sheet in its entirety before beginning the installation.


DO NOT attempt to install the logs until the appliance installation has been completed, the gas line connected and tested for leaks and the initial burner operation has been checked out.

The logs have notches/tabs to assist proper positioning. Upper logs rest on lower logs via notches/tabs. Proper log placement is critical to prevent sooting. Place the logs in the gaps between flame peaks, so they do not impinge the flames. Follow the log placement instructions precisely.

ALL WARNINGS AND PRECAUTIONS IN THE INSTALLATION AND OPERATION MANUAL PROVIDED WITH THE APPLIANCE APPLY TO THESE INSTRUCTIONS.

SHUT DOWN THE APPLIANCE AND ALLOW IT TO COMPLETELY COOL BEFORE PROCEEDING.

INSTALLATION INSTRUCTIONS - 35/40/45 DRIFTWOOD LOG SET (Scorpio series only)



Log Number	Description
1	Left Rear Log
2	Rear Log
3	Left Top Log
4	Right Bottom Log
5	Right Top Log
6	Front Ember Log

Figure 1

1. If necessary, remove the glass door per instructions in the Installation and Operation Manual. Locate the placement tabs *(**Figure 2**)*.
2. Bend up the log placement tabs *(**Figure 2**)*. Place glowing embers and other media *(see **Figure 2**)*.




Figure 2 - Locate the log placement tabs

NOTE: DIAGRAMS & ILLUSTRATIONS ARE NOT TO SCALE.



Figure 3 - Place log #1

3. Align the notches in the left rear log (1) with the left rear locating tab *(**Figures 2 and 3**)*.
4. Position the Rear Log (2) on the left front and right rear log placement locating tabs *(**Figures 2 and 4**)*.
5. Position the left top log (3), shown in ***Figure 5*** on locating pins outlined in ***Figure 4***.




Figure 4 - Place log #2



Figure 5 - Place log #3

6. Position the right bottom log (4) on the corner of the grate *(**Figure 5**) and as shown in **Figure 6***.
7. Position the right top log (5) on the pin shown in ***Figure 6*** and as shown in ***Figure 7***.




Figure 6 - Place log 4




Figure 7 - Place log 5

8. Position the front ember log (6) on the grate called out in ***Figure 7*** and as shown in ***Figure 8***.



Figure 8 - Place log #6

INSTALLATION INSTRUCTIONS - 35 CHARRED OAK LOG SET



Log Number	Description
1	Left Rear Log
2	Rear Log
3	Top Front Right Log
4	Top Front Left Log

Figure 9 - 35 Charred Oak Log Set

1. If necessary, remove the glass door per instructions in the Installation and Operation Manual. Locate the placement tabs *(**Figure 10**)*.
2. Bend up the log placement tabs *(**Figure 10**)*. Place glowing embers *(see **Figure 10**)*.
3. Align the notches in the left rear log (1) with the left rear locating tab *(**Figures 10 and 11**)*.




Figure 10 - Locate the log placement tabs, 35"



Figure 11 - Place log #1

4. Position the Rear Log (2) on the left front and right rear placement locating tabs *(**Figures 10 and 12**)*.
5. Position the top front right log (3), as shown in ***Figure 13*** on the locating pin outlined in ***Figure 12***.



Figure 12 - Place log #2




Figure 13 - Place log #3


NOTE: DIAGRAMS & ILLUSTRATIONS ARE NOT TO SCALE.

6. Position the Top Front Left Log (4), shown in ***Figure 14*** on the landing area outlined in ***Figure 13***.



Figure 14 - Place log #4

INSTALLATION INSTRUCTIONS - 40/45 CHARRED OAK LOG SET



Log Number	Description
1	Left Rear Log
2	Rear Log
3	Front Right Log
4	Top Front Right Log
5	Top Front Left Log

Figure 15 - 40/45 Charred Oak Log Set

1. If necessary, remove the glass door per instructions in the Installation and Operation manual. Locate the placement tabs ***(Figure 16A or 16B)***.
2. Bend up the log placement tabs ***(Figure 16A or 16B)***. Place glowing embers and other media ***(Figure 16A)***.




Figure 16A - Locate log placement tabs, 40"

3. Align the notches in the left rear log (1) with the left rear locating tab ***(Figures 16 and 17)***.
4. Position the Rear Log (2) on the left front and right rear placement locating tabs ***(Figures 16 and 18)***.




Figure 16B - Locate log placement tabs, 45"

NOTE: DIAGRAMS & ILLUSTRATIONS ARE NOT TO SCALE.



Figure 17 - Place log #1




Figure 18 - Place log #2

5. **40" Models** - The front right log (3) butts up against the grate as shown in ***Figures 19.***
   45" Models - Align the notch on the bottom of the front right log (3) over the front right locating tab. See ***Figures 16 and 19***.
6. Position the top front right log (4), as shown in ***Figure 20*** on the landing outlined in ***Figure 19***.



Figure 19 - Place log #3




Figure 20 - Place log #4

7. Position the Top Front Left Log (5), shown in ***Figure 21*** on the pin outlined in ***Figure 20***.




Figure 21 - Place log #5

NOTE: DIAGRAMS & ILLUSTRATIONS ARE NOT TO SCALE.

IHP reserves the right to make changes at any time, without notice, in design, materials, specifications, prices and also to discontinue colors, styles and products. Consult your local distributor for fireplace code information.

Printed in U.S.A. © 2016 Innovative Hearth Products

P/N 900796-00 Rev. NC 09/2016

INNOVATIVE HEARTH PRODUCTS

1508 Elm Hill Pike, Suite 108 • Nashville, TN 37210