

The VRL6000 Series linear vent-free gas fireplace offers a sleek modern appearance that is perfect for both contemporary and transitional spaces. The expansive opening provides an exceptional view of the fire while the floor lighting allows you to enhance the mood. The VRL6000 is a fully featured fireplace that comes complete with a heat circulating blower and multi-function remote for the ultimate in comfort and control.



FEATURED VRL6048 shown with See-Through Kit, Black Painted Interior, and Platinum Crushed Glass

### **STANDARD FEATURES**

- Available in a 48" linear configured model
- Indoor see-through conversion kit available to allow viewing from two living spaces
- Indoor/Outdoor see-through conversion kit available to enjoy the fire both inside and out
- ♠ HeatFlo kit option allows heat to be directed above heat sensitive wall hangings.
- Electronic ignition with battery backup provides continued operation in the event of a power outage
- 99.9% efficient for exceptional heating and lower operating costs
- ♦ Six flame settings with up to a 30% turn down for precise heat control
- Clean-face design with integrated tile stops for easy finishing
- ♠ Factory installed blower with six speed settings to fine tune your heating needs\*
- Black porcelain liner interior for a reflective view of the fire
- Platinum crushed glass media included with several optional colors available
- ♦ Mood enhancing floor lighting enhances the fireplace interior with or without a fire
- Multi-function remote included (IPI/CPI, thermostat, flame height, blower, lighting)
- 4 20 year limited warranty

<sup>\*</sup>Blower use is not compatible with a see-through application.

### **INTERIOR**

### Liner



Black Porcelain Interior (Standard)



Reflective Black Glass Liner

#### Media



Platinum **Crushed Glass** (Standard)



Reflective Blue Crushed Glass



Reflective Black
Crushed Glass



**Driftwood Rock Kit** 



River Rock Assorted Set

### **SEE-THROUGH KIT**



Indoor/Indoor & Indoor/Outdoor See-Through Kits

# **TRIM**



Black Perimeter Trim Kit

### **REMOTE**



On/Off Thermostat Remote (Standard)


- Manual On/Off and Thermostatic Modes
- 6 Flame Height Settings
- 6 Interior Light Settings
- 6 Blower Speed Settings


# **HEATFLO KIT**

Protect heat sensitive televisions, artwork and other decorative wall materials. No blower required, the HeatFlo kit works through natural convection to redirect heat from the fireplace upward through hidden ductwork and out through a sleek horizontal vent. Walls stay cooler and heat flows more evenly through the room for a comfortable fireplace experience.


- TV & Artwork can be placed above the fireplace
- Helps protect heat sensitive wall facing materials
- Improves convective heat circulation in the room
- No electricity or blower required for operation








VRL6048				
	48" MODEL			
Α	54-1/4"			
В	27-1/8"			
С	46"			
D	50-3/8"			
Е	57-7/16"			



On the Cover: VRL6048 fireplace with black porcelain interior and platinum crushed glass media



٧R	L60	148
٧R	L60	148

***************************************					
	48" One Sided Framing HeatFlo Kit	48" See-Thru Framing HeatFlo Kit			
Α	55-5/8"	55-5/8"			
В	19-1/2"	18-1/2"			
С	39-1/8"	39-1/8"			
E*	84"	84"			
F*	3-1/2"	3-1/2"			
G	53-1/2"	53-1/2"			
Н	5-1/8"	5-1/8"			

 $E^\star$  = Minimum height from appliance base to ceiling  $F^\star$  = Minimum distance from framed opening to ceiling

Optional See-Thru Kit required for See-Thru installation

Refer to Spec Sheet for complete recessed wall pocket applications and instructions.

# FIREPLACE BTU OPERATING RANGE

MODEL	FUEL	BTU/HR	AFUE
VRL 6048	NG	35,000-28,000	99.9%
VRL 6048	LP	34,000-27,000	99.9%

#### IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.





